



Scotsman[®]

ICE EXPERIENCES

ICE
IS
US

ICE
IS
US

ART OF MAKING ICE

MAKE
ICE
COOL

MAKING ART WITH ICE



Welcome to Scotsman

The industry's only complete solution for highly efficient, superior-performing ice systems.



Worldwide footprint



Manufacturing facilities strategically located in the USA, Italy and China to better serve our markets.

Unmatched Market Coverage

We have the largest network in the world, distributing products in over 100 countries and serving over a million customers.

International HQ
MILAN

Americas HQ
CHICAGO

Regional Office
DUBAI

Regional Office
SINGAPORE

Sales Office
JOHANNESBURG

Sales Office
MADRID

Sales Office
SHANGHAI



Hotels and
Fine Dining




QSR and
Casual Dining



Coffee Chains
and Speciality



Airlines and
Cruise Ships



Food Retail &
CVs Stores

Designed to inspire

We offer a large selection of equipment and ice shapes.



Italy



USA




China

Committed to a better world

XSafe

A revolutionary and natural cleaning system that takes sanitation to the next level.

It is a natural sanitation system integrated inside the machine that ensures absolute cleaning and hygiene.



EcoX

The Ice Machines range using only natural refrigerants:

- **Hydrocarbons R290**
- **Carbon Dioxide R744**

Designed
to be unique



LEGACY



Designed to amaze


Ice and its shapes




Gourmet
Ice



Dice
Ice



Nugget &
Cubelet Ice



Flake
Ice



Scale
Ice



GOURMET



Crystal clear, pure, hard and long-lasting ice cubes. Ideal for up-scale operations such as hotels, fine dining, specialty coffee and high-end bars. Its fast cooling action and slow dilution keep drinks chilled for a long time.



Small Gourmet

8 g - Ø 21 mm
H 25 mm




Medium Gourmet

20 g - Ø 30 mm
H 34 mm



Large Gourmet

39 g - Ø 38 mm
H 41 mm



Extra Large Gourmet

60 g - Ø 44 mm
H 46 mm

EC SERIES

XSafe



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Clean alert: advises with a blink when it's time to clean the filter.

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.

Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.

PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.

Built-in storage bin: allows most undercounter installations for easier fit-in solutions.

EC 46

Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
24 kg Medium cubes



Storage bin capacity:
9 kg
Dimensions:
W 386 mm
D 600 mm
H 645 mm

EC 56

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
32 kg Medium cubes



Storage bin capacity:
12 kg
Dimensions:
W 386 mm
D 600 mm
H 695 mm

EC 86

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
39 kg Medium cubes



Storage bin capacity:
19 kg
Dimensions:
W 531 mm
D 600 mm
H 785 mm / 825 mm with legs

EC 106

Cube size:
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
50 kg Medium cubes



Storage bin capacity:
23 kg
Dimensions:
W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

EC 126

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
74 kg Medium cubes



Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

EC 176

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
85 kg Medium cubes



Storage bin capacity:
48 kg
Dimensions:
W 680 mm
D 600 mm
H 990 mm / 1080 mm with legs

EC 206

Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
137 kg Medium cubes



Storage bin capacity:
50 kg
Dimensions:
W 1250 mm
D 622 mm
H 779 mm / 809 mm with legs

EC 226

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
150 kg Medium cubes



Storage bin capacity:
70 kg
Dimensions:
W 1078 mm
D 715 mm
H 1004 mm / 1082 mm with legs

EC SERIES

XSafe



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Clean alert: advises with a blink when it's time to clean the filter.

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.

Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.

PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.

Built-in storage bin: allows most undercounter installations for easier fit-in solutions.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

The full EcoX range is available on AC series as well.

EC 47 EcoX

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
24 kg Medium cubes



Storage bin capacity:
9 kg
Dimensions:
W 386 mm
D 600 mm
H 645 mm

EC 57 EcoX

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
32 kg Medium cubes



Storage bin capacity:
12 kg
Dimensions:
W 386 mm
D 600 mm
H 695 mm

EC 87 EcoX

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
39 kg Medium cubes



Storage bin capacity:
19 kg
Dimensions:
W 531 mm
D 600 mm
H 785 mm / 825 mm with legs

EC 107 EcoX

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
50 kg Medium cubes



Storage bin capacity:
23 kg
Dimensions:
W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

EC 127 EcoX

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
74 kg Medium cubes



Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

EC 177 EcoX

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
85 kg Medium cubes



Storage bin capacity:
48 kg
Dimensions:
W 680 mm
D 600 mm
H 990 mm / 1010 mm with legs

DXG 35

Ice Dispenser
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
30 kg Medium cubes



Storage bin capacity:
11 kg
Dimensions:
W 380 mm
D 515 mm
H 1606 mm / 1696 mm with legs

AC SERIES



EcoX: the AC series is available on the EcoX version, using natural refrigerants, Hydrocarbons R290.
Clean alert: advises with a blink when it's time to clean the filter.
Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.
Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.
Built-in storage bin: allows most undercounter installations for easier fit-in solutions.
EcoX: the AC series is available on the EcoX version, using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

AC 46
Cube size:
 Medium cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 24 kg Medium cubes

AC 56
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 32 kg Medium cubes

AC 86
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 39 kg Medium cubes

AC 106
Cube size:
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 50 kg Medium cubes

AC 126
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 74 kg Medium cubes

AC 176
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 85 kg Medium cubes

AC 206
Cube size:
 Small cube
 Medium cube
 Large cube
 Extra Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 137 kg Medium cubes

AC 226
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 150 kg Medium cubes



Storage bin capacity:
 9 kg
Dimensions:
 W 386 mm
 D 600 mm
 H 645 mm

Storage bin capacity:
 12 kg
Dimensions:
 W 386 mm
 D 600 mm
 H 695 mm

Storage bin capacity:
 19 kg
Dimensions:
 W 531 mm
 D 600 mm
 H 785 mm / 875 mm with legs

Storage bin capacity:
 23 kg
Dimensions:
 W 531 mm
 D 600 mm
 H 840 mm / 930 mm with legs

Storage bin capacity:
 39 kg
Dimensions:
 W 680 mm
 D 600 mm
 H 920 mm / 1010 mm with legs

Storage bin capacity:
 48 kg
Dimensions:
 W 680 mm
 D 600 mm
 H 990 mm / 1080 mm with legs

Storage bin capacity:
 50 kg
Dimensions:
 W 1250 mm
 D 622 mm
 H 779 mm / 809 mm with legs

Storage bin capacity:
 70 kg
Dimensions:
 W 1078 mm
 D 715 mm
 H 1005 mm / 1085 mm with legs

MXG SERIES

XSafe



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

External indicator lights: keep ice maker's operations under constant surveillance.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

Clean alert: advises with a blink when it's time to clean the filter.

Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

Head only ice maker: requires a separate storage bin to store the ice produced.*

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MXG 327 **EcoX**
Cube size:
 Medium cube
Condensing system:
 Air cooled
Max daily production:
 152 kg Medium cubes

MXG 328
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 150 kg Medium cubes

MXG 427 **EcoX**
Cube size:
 Medium cube
Condensing system:
 Air cooled
Max daily production:
 170 kg Medium cubes

MXG 428
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
Max daily production:
 195 kg Medium cubes

MXG 437 **EcoX**
Cube size:
 Medium cube
Condensing system:
 Air cooled
Max daily production:
 170 kg Medium cubes

MXG 438
Cube size:
 Small cube
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
 Air cooled remote
Max daily production:
 195 kg Medium cubes

MXG 638
Cube size:
 Small cube
 Medium cube
 Large cube
 Extra Large cube
Condensing system:
 Air cooled
 Water cooled
 Air cooled remote
Max daily production:
 340 kg Medium cubes

MXG 938
Cube size:
 Medium cube
 Large cube
Condensing system:
 Air cooled
 Water cooled
 Air cooled remote
Max daily production:
 400 kg Medium cubes



Dimensions (Head only):
 W 560 mm
 D 700 mm
 H 720 mm
Recommended bins:
 SB 193, SB 322

Dimensions (Head only):
 W 560 mm
 D 700 mm
 H 720 mm
Recommended bins:
 SB 193, SB 322

Dimensions (Head only):
 W 560 mm
 D 700 mm
 H 720 mm
Recommended bins:
 SB 193, SB 322

Dimensions (Head only):
 W 560 mm
 D 700 mm
 H 720 mm
Recommended bins:
 SB 193, SB 322

Dimensions (Head only):
 W 765 mm
 D 700 mm
 H 720 mm
Recommended bins:
 SB 393, SB 530

Dimensions (Head only):
 W 765 mm
 D 700 mm
 H 720 mm
Recommended bins:
 SB 393, SB 530

Dimensions (Head only):
 W 765 mm
 D 700 mm
 H 1125 mm
Recommended bins:
 SB 393, SB 530

Dimensions (Head only):
 W 765 mm
 D 700 mm
 H 1235 mm
Recommended bins:
 SB 393, SB 530

Creatively Chilled

Scotsman





DICE



Classic six-sided ice cube. Its greater surface for heat exchange promotes rapid chilling. The perfect solution for QSR, cafés, banquet venues, catering and cinemas.



**Half Dice
Small Cube**

6 g
W 10 mm / D 22 mm / H 28 mm



**Dice
Medium Cube**

10 g
W 22 mm / D 22 mm / H 22 mm



Large

15 g
W 28 mm / D 22 mm / H 28 mm

NU SERIES
NW SERIES
XSafe



NU 100
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
56 kg Dice cubes

NU 150
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
85 kg Dice cubes

NU 220
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
109 kg Dice cubes

NU 300
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
142 kg Dice cubes



Storage bin capacity:
20 kg
Dimensions:
W 600 mm
D 610 mm
H 744 mm / 770 mm
with short legs

Storage bin capacity:
20 kg
Dimensions:
W 600 mm
D 610 mm
H 744 mm / 770 mm
with short legs

Storage bin capacity:
37 kg
Dimensions:
W 650 mm
D 690 mm
H 842 mm / 870 mm
with short legs

Storage bin capacity:
37 kg
Dimensions:
W 650 mm
D 690 mm
H 869 mm / 1003 mm
with long legs

NU series

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Front-in & front-out air flow: no need to leave space on the back.

One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and make your ice maker live longer.

Ergonomic access to ice with sliding disappearing door: one touch door lift, makes barman's life significantly easier.

Easy cleaning: through routine maintenance.

Built-in storage bin: allows undercounter installations for easier fit-in solution, specifically for coffee shops.

NW series

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.

Front evaporator access: immediate access to the evaporating plate for quick self-maintenance operations.

Stackable: add flexibility! (only 30" models).

Condenser air filter: removable for easy maintenance.

Top exhaust airflow: exit of hot air from the top, no free space required on sides (only 22" NW308 and NW508).

Head only ice maker: requires a separate storage bin to collect the ice produced*.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW 307 EcoX
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
190 kg Dice cubes

NW 308
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
160 kg Dice cubes

NW 507 EcoX
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
210 kg Dice cubes

NW 508
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
230 kg Dice cubes



Dimensions (Head only):
W 557 mm
D 610 mm
H 609 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 557 mm
D 610 mm
H 609 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 557 mm
D 610 mm
H 609 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 557 mm
D 610 mm
H 609 mm
Recommended bins:
SB 193, SB 322

NW SERIES

XSafe



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.

Front evaporator access: immediate access to the evaporating plate for quick self-maintenance operations.

Stackable: add flexibility! (only 30" models).

Condenser air filter: removable for easy maintenance.

Top exhaust airflow: exit of hot air from the top, no free space required on sides (only 22" NW308 and NW508).

Head only ice maker: requires a separate storage bin to collect the ice produced*.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW 457 EcoX

Cube size:
Half Dice
Dice
Large

Condensing system:
Air cooled

Max daily production:
220 kg Dice cubes

NW 458

Cube size:
Half Dice
Dice
Large

Condensing system:
Air cooled

Water cooled
Max daily production:
215 kg Dice cubes

NW 608

Cube size:
Half Dice
Dice
Large

Condensing system:
Air cooled

Water cooled
Max daily production:
320 kg Dice cubes

NW 1008

Cube size:
Half Dice
Dice
Large

Condensing system:
Air cooled

Water cooled
Air cooled remote
Max daily production:
485 kg Dice cubes

NW 1408

Cube size:
Half Dice
Dice
Large

Condensing system:
Air cooled

Water cooled
Max daily production:
680 kg Dice cubes



Dimensions (Head only):
W 760 mm
D 620 mm
H 575 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 760 mm
D 620 mm
H 575 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 760 mm
D 620 mm
H 575 mm
Recommended bins:
SB 393, SB 530



Dimensions (Head only):
W 760 mm
D 620 mm
H 800 mm
Recommended bins:
SB 530, SB 948

Dimensions (Head only):
W 765 mm
D 610 mm
H 1000 mm
Recommended bins:
SB 530, SB 948

C SERIES



One touch cleaning: reduces labor costs and saves time.

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice machine live longer.

Water sense adaptive purge control: uses just as much water as it is actually needed, limiting wastage to the minimum.

Head only ice maker: requires a separate storage bin to store the ice produced.* Also suitable for installations on beverage fountains/dispensers.

C 0322

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Max daily production:
137 kg Dice cubes

C 0522

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Max daily production:
214 kg Dice cubes

C 0722

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Max daily production:
330 kg Dice cubes



Dimensions (Head only):
W 559 mm
D 610 mm
H 584 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 559 mm
D 610 mm
H 584 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 559 mm
D 610 mm
H 737 mm
Recommended bins:
SB 193, SB 322

C 0530

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Max daily production:
217 kg Dice cubes

C 0630

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Max daily production:
300 kg Dice cubes

C 0830

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Max daily production:
360 kg Dice cubes

C 1030

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Air cooled remote
Max daily production:
416 kg Dice cubes



Dimensions (Head only):
W 762 mm
D 610 mm
H 584 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 762 mm
D 610 mm
H 584 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 762 mm
D 610 mm
H 737 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 762 mm
D 610 mm
H 737 mm
Recommended bins:
SB 393, SB 530

C SERIES

C 1448

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Air cooled remote
Max daily production:
636 kg Dice cubes



Dimensions (Head only):
W 1219 mm
D 610 mm
H 737 mm
Recommended bins:
SB 948

C 1848

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled
Air cooled remote
Max daily production:
736 kg Dice cubes



Dimensions (Head only):
W 1219 mm
D 610 mm
H 737 mm
Recommended bins:
SB 948

C 2148

Cube size:
Small cube
Medium cube
Condensing system:
Air cooled remote
Max daily production:
869 kg Dice cubes



Dimensions (Head only):
W 1219 mm
D 610 mm
H 737 mm
Recommended bins:
SB 948





NUGGET & CUBELET



Compressed flake ice available either in regular micro-cubes or irregular chips. Multi-use versatility that's great with carbonated drinks and smoothies, while a perfect option for food and plate displays. Long lasting, easy to use, high and fast displacement, and hands-free dispensing.



Nugget

1 g / Ø 11 mm / H 13 mm
Residual water content 8%



Cubelet

Residual water content 8%

N SERIES
MFN SERIES



Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

External indicator lights: keep ice machine's operations under constant surveillance.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Head only ice maker: requires a separate storage bin to store the ice produced.*

MFN series only

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

N 0622

Ice type: Nugget
Condensing system: Air cooled
Max daily production: 266 kg

N 0922

Ice type: Nugget
Condensing system: Air cooled
Max daily production: 345 kg

MFN 46

Ice type: Nugget
Condensing system: Air cooled / Water cooled
Max daily production: 270 kg

MFN 47 EcoX

Ice type: Nugget
Condensing system: Air cooled
Max daily production: 290 kg

MFN 56

Ice type: Nugget
Condensing system: Air cooled / Water cooled
Max daily production: 470 kg

MFN 57 EcoX

Ice type: Nugget
Condensing system: Air cooled
Max daily production: 350 kg

MFN 86

Ice type: Nugget
Condensing system: Air cooled / Water cooled
Max daily production: 1900 kg

MFN 88 Split

Ice type: Nugget
Condensing system: For connection to dedicated or centralized refrigeration system
Max daily production: 1900 kg



Dimensions (Head only):
W 577 mm
D 610 mm
H 585 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 577 mm
D 610 mm
H 686 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530

Dimensions (Head only):
W 1080 mm
D 780 mm
H 1140 mm / 1255 mm with legs
Recommended bins:
UBH 2250, SIS 1350

Dimensions:
W 569 mm
D 869 mm
H 1271 mm
Recommended bins:
UBH 2250, SIS 1350

DXN SERIES
AFC SERIES



DXN series

Appealing design: it can be smartly positioned in any situation, from luxury lounges to unconventional traditional pubs, allowing customers to cool their drinks to their own taste, without any hygiene hazards.

Display: appealing frontal all-black touch screen display. Touch-activated or touch-free version.

Footprint: large flow of ice in a small footprint.

Simple serviceability: extractable washable drip tray and anti-clog drain filter.

AFC series

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer (only AFC 134).

PWD - Progressive Water Discharge (optional): pumps excess residual water up to a distance of 15 meters (only AFC 134).

Built-in storage bin: allows undercounter installations for easier fit-in solution.

DXN 100

Ice & Water Dispenser

Ice type:

Cubelet

Condensing system:

Air cooled

Max daily production:

66 kg

Servings in peak time: 100

Servings per day: 1200



Storage bin capacity:

5 kg

Dimensions:

W 427 mm

D 552 mm

H 619 mm

DXN 107

EcoX

Ice & Water Dispenser

Ice type:

Cubelet

Condensing system:

Air cooled

Max daily production:

70 kg

Servings in peak time: 100

Servings per day: 1200



Storage bin capacity:

5 kg

Dimensions:

W 427 mm

D 552 mm

H 619 mm

DXN 200

Ice & Water Dispenser

Ice type:

Cubelet

Condensing system:

Air cooled

Max daily production:

110 kg

Servings in peak time: 200

Servings per day: 2400



Storage bin capacity:

10 kg

Dimensions:

W 427 mm

D 552 mm

H 769 mm

DXN 207

EcoX

Ice & Water Dispenser

Ice type:

Cubelet

Condensing system:

Air cooled

Max daily production:

100 kg

Servings in peak time: 200

Servings per day: 2400



Storage bin capacity:

10 kg

Dimensions:

W 427 mm

D 552 mm

H 769 mm

AFC 80

Ice type:

Cubelet

Condensing system:

Air cooled

Water cooled

Max daily production:

85 kg



Storage bin capacity:

25 kg

Dimensions:

W 535 mm

D 626 mm

H 800 mm / 889 mm with legs

AFC 134

Ice type:

Cubelet

Condensing system:

Air cooled

Water cooled

Optional:

PWD - Progressive Water Discharge

Max daily production:

130 kg



Storage bin capacity:

40 kg

Dimensions:

W 950 mm

D 605 mm

H 789 mm / 869 mm with legs

Stirring Spirits





FLAKE



Ice produced just below zero degrees Celsius. Highly versatile, it's suitable for multiple applications, including fish display counters, buffet displays, frozen drink preparations.



Flake

Residual water content 25%



Superflake

Residual water content 15%

AF SERIES
MF SERIES
XSafe



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Clean alert: advises with a blink when it's time to clean the filter.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

PWD - Progressive Water Discharge (optional on AF series): pumps excess residual water up to a distance of 15 meters.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier (AF series).

AF series - built-in storage bin: allows most undercounter installations for easier fit-in solutions.

MF series - head only ice maker: requires a separate storage bin to store the ice produced.*

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

AF 80
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
73 kg

AF 87 EcoX
Ice type:
Flake
Condensing system:
Air cooled
Max daily production:
70 kg

AF 103
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
120 kg

AF 107 EcoX
Ice type:
Flake
Condensing system:
Air cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
120 kg

AF 124
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
120 kg

AF 127 EcoX
Ice type:
Flake
Condensing system:
Air cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
130 kg

AF 156
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
160 kg

AF 206
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
200 kg

MF 26
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
120 kg

MF 36
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
200 kg



Storage bin capacity:
25 kg
Dimensions:
W 535 mm
D 626 mm
H 800 mm / 889 mm
with legs

Storage bin capacity:
25 kg
Dimensions:
W 535 mm
D 626 mm
H 800 mm / 889 mm
with legs

Storage bin capacity:
30 kg
Dimensions:
W 592 mm
D 622 mm
H 997 mm / 1077mm
with legs

Storage bin capacity:
30 kg
Dimensions:
W 592 mm
D 622 mm
H 997 mm / 1077 mm
with legs

Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm
with legs

Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with
legs

Storage bin capacity:
60 kg
Dimensions:
W 950 mm
D 605 mm
H 1000 mm / 1080 mm
with legs

Storage bin capacity:
60 kg
Dimensions:
W 950 mm
D 605 mm
H 1000 mm / 1080 mm
with legs

Dimensions (Head only):
W 564 mm
D 536 mm
H 531 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 564 mm
D 536 mm
H 531 mm
Recommended bins:
SB 193, SB 322

MF SERIES

XSafe



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

External indicator lights: keeps ice maker's operations under constant surveillance.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Head only ice maker: requires a separate storage bin to store the ice produced.*

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MF 37 EcoX
Ice type: Flake
Condensing system: Air cooled
Max daily production: 200 kg

MF 46
Ice type: Superflake
Condensing system: Air cooled
Water cooled
Max daily production: 330 kg

MF 47 EcoX
Ice type: Superflake
Condensing system: Air cooled
Max daily production: 300 kg

MF 56
Ice type: Superflake
Condensing system: Air cooled
Water cooled
Air cooled remote
Max daily production: 600 kg

MF 57 EcoX
Ice type: Superflake
Condensing system: Air cooled
Max daily production: 450 kg

MF 58 Split
Ice type: Superflake
Condensing system: For connection to dedicated or centralized refrigeration system
Max daily production: 600 kg

MF 59 Split EcoX
Ice type: Superflake
Condensing system: For connection to dedicated or centralized refrigeration system
Max daily production: 700 kg

MF 66
Ice type: Superflake
Condensing system: Air cooled
Water cooled
Air cooled remote
Max daily production: 1150 kg

MF 68 Split
Ice type: Superflake
Condensing system: For connection to dedicated or centralized refrigeration system
Max daily production: 1220 kg



Dimensions (Head only):
W 564 mm
D 536 mm
H 531 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530, SB 948, SB 1025

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530, SB 948, SB 1025


Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 530, SB 948, SB 1025

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 530, SB 948, SB 1025

Dimensions (Head only):
W 1065 mm
D 698 mm
H 850 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

MF SERIES
XSafe

MF 69 Split 
Ice type:
 Superflake
Condensing system:
 For connection to
 dedicated or centralized
 refrigeration system
Max daily production:
 1400 kg



Dimensions (Head only):
 W 538 mm
 D 663 mm
 H 790 mm
Recommended bins:
 SB 948, SB 1025, UBH 1100,
 UBH 1600

MF 86
Ice type:
 Superflake
Condensing system:
 Air cooled
 Water cooled
 Air cooled remote
Max daily production:
 2500 kg



Dimensions:
 W 1080 mm
 D 780 mm
 H 1140 mm / 1255 mm with legs
Recommended bins:
 UBH 2250, SIS 1350

MF 88 Split
Ice type:
 Superflake
Condensing system:
 For connection to
 dedicated or centralized
 refrigeration system
Max daily production:
 2500 kg



Dimensions:
 W 540 mm
 D 780 mm
 H 1140 mm / 1255 mm with legs
Recommended bins:
 UBH 2250, SIS 1350





SCALE



Featuring less than 2% residual water content, it's our coldest form of ice and is very dry. Made by irregular fragments of ice with a variable thickness adjustable from 1 to 2 mm. Ideal for food processing and large food displays in supermarkets.



Scale ice

Residual water content 2%

MAR SERIES COMPACT MODELS



Stainless steel horizontal evaporating drum: for a life-long working endurance.

Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

All water in / all ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Compact configuration: includes evaporator, compressor and condensing units, and it is supplied without panels on the group (optional).

MAR 56

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

426 kg

MAR 76

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

570 kg

MAR 106

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

785 kg

MAR 126

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

1000 kg

MAR 206

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

1850 kg

MAR 306

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled remote

Water cooled

Max daily production:

2450 kg



Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm

Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm

Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm

Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm

Dimensions:

W 1326 mm

D 676 mm + 177 mm

H 1125 mm

Dimensions:

W 1326 mm

D 676 mm + 177 mm

H 1125 mm

MAR SERIES SPLIT MODELS



Stainless steel horizontal evaporating drum: for a life-long working endurance.

Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

All water in / all ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Split configuration: evaporator supplied only. For connections to remote condensing units, either dedicated or centralized.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MAR 78

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
570 kg

MAR 79 EcoX

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
540 kg

MAR 108

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
785 kg

MAR 109 EcoX

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
720 kg

MAR 128

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
1000 kg

MAR 129 EcoX

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
1000 kg

MAR 208

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
1850 kg

MAR 209 EcoX

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
1850 kg

MAR 308

Split configuration
Ice type:
Scale ice
Condensing system:
For connection to
dedicated or centralized
refrigeration system
Max daily production:
2450 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm

Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm

Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm




Ice Storage Systems




SB SERIES

Slope front bins. Insulated, inside rounded corner, for daily turnover of ice. Easy to clean and maintain, removable gaskets. The reinforced hinges provide enhanced durability. The slope front makes access to ice as easy as possible. From 129 kg to 478 kg storage capacity range. Compatible with any type of ice.



UBH SERIES

Upright bins. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene. Insulated, inside rounded corner, of higher capacity demand for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside. From 553 kg to 1068 kg storage capacity. Compatible with any type of ice.



SIS SERIES

Upright bins with integral trolleys. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene. 73 kg capacity trolleys, insulated and top-closed with lids, facilitate ice transportation. Ice falls down into trolleys gravitationally, with no need of tiresome shoveling. Insulated, inside rounded corner, for higher capacity demand for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside. From 210 kg to 759 kg storage capacity. Compatible with any type of ice.

SB SERIES

SB 193
Storage capacity:
129 kg



Dimensions:
W 568 mm
D 845 mm
H 1048 mm

SB 322
Storage capacity:
168 kg



Dimensions:
W 569 mm
D 869 mm
H 1271 mm

SB 393
Storage capacity:
181 kg



Dimensions:
W 768 mm
D 845 mm
H 1048 mm

SB 530
Storage capacity:
243 kg



Dimensions:
W 771 mm
D 865 mm
H 1270 mm

SB 550
Storage capacity:
252 kg



Dimensions:
W 1082 mm
D 824 mm
H 968 mm

SB 948
Storage capacity:
406 kg



Dimensions:
W 1238 mm
D 869 mm
H 1272 mm

SB 1025
Storage capacity:
478 kg



Dimensions:
W 1331 mm
D 871 mm
H 1272 mm

UBH SERIES

UBH 1100
Storage capacity:
553 kg



Dimensions:
W 1220 mm
D 1128 mm
H 1427 mm

UBH 1600
Storage capacity:
812 kg



Dimensions:
W 1524 mm
D 1128 mm
H 1731 mm

UBH 2250
Storage capacity:
1068 kg



Dimensions:
W 1828 mm
D 1468 mm
H 1292 mm

SIS SERIES

SIS 300

Storage capacity:
137 kg + 73 kg ice cart



Dimensions:
W 884 mm
D 1025 mm
H 1343 mm

SIS 700

Storage capacity:
318 kg + 73 kg ice cart



Dimensions:
W 885 mm
D 1267 mm
H 1803 mm

SIS 1350

Storage capacity:
613 kg + 73 kg + 73 kg ice carts



Dimensions:
W 1753 mm
D 1267 mm
H 1803 mm

ACCESSORIES CARTS AND TOTES



Head/bin combination chart

✓ Perfect combination between ice-maker and bin ● Ice chute cut-out performed upon installation
 CBT xxxxxxxxx need additional bin top

	BIN	SB193/NB193	SB322	SB393/NB393	SB530	SB550	SB948	SB1025	UBH1100	UBH1600	UBH2250	SIS300	SIS700	SIS1350	BIN	
HEAD	kg/24h	129	168	181	243	252	406	478	553	812	1068	137 + 73	318 + 73	613+73+73	gg/24h	HEAD
MXG327	152	✓	✓												152	MXG327
MXG328	150	✓	✓												150	MXG328
MXG427	170	✓	✓			BINTOPMXGSB55			●	●			●	●	170	MXG427
MXG428	195	✓	✓			BINTOPMXGSB55			●	●			●	●	195	MXG428
MXG437	170			✓	✓	BINTOPMXGSB55			●	●			●	●	170	MXG437
MXG438	195			✓	✓	BINTOPMXGSB55			●	●			●	●	195	MXG438
MXG638	340			✓	✓	BINTOPMXGSB55	CBT48EAMCD	CBT52EAMCD	●	●			●	●	340	MXG638
MXG938	400			✓	✓	BINTOPMXGSB55	CBT48EAMCD	CBT52EAMCD	●	●			●	●	400	MXG938
C0322	137	✓	✓	CBT30/52AMCD	CBT30/52AMCD										137	C0322
C0522	214		✓	CBT30/52AMCD	CBT30/52AMCD								●	●	214	C0522
C0722	330	✓	✓	CBT30/52AMCD	CBT30/52AMCD								●	●	330	C0722
C0530	217			✓	✓		CBT48EAMCD	CBT52EAMCD	●				●	●	217	C0530
C0630	300				✓		CBT48EAMCD	CBT52EAMCD	●	●			●	●	300	C0630
C0830	360			✓	✓		CBT48EAMCD	CBT52EAMCD	●	●			●	●	360	C0830
C1030	416			✓	✓		CBT48EAMCD	CBT52EAMCD	●	●			●	●	416	C1030
C1448	636						✓	CBT30/52AMCD	●	●				●	636	C1448
C1848	736						✓	CBT30/52AMCD	●	●				●	736	C1848
C2148	869						✓	CBT30/52AMCD	●	●				●	869	C2148
NW307	190	✓	✓	CBT30EMCD	CBT30EMCD								●	●	190	NW307
NW308	160	✓	✓	CBT30EMCD	CBT30EMCD								●	●	160	NW308
NW507	210	✓	✓	CBT30EMCD	CBT30EMCD								●	●	210	NW507
NW508	230	✓	✓	CBT30EMCD	CBT30EMCD								●	●	230	NW508
NW457	220			✓	✓	CBT42EMCD	CBT48FMCD						●	●	220	NW457
NW458	215			✓	✓	CBT42EMCD	CBT48FMCD						●	●	215	NW458
NW608	320			✓	✓	CBT42EMCD	CBT48FMCD						●	●	320	NW608
NW1008	485			✓	✓	CBT42EMCD	CBT48EAMCD	CBT52EAMCD	●	●			●	●	485	NW1008
NW1408	680				✓	CBT42EMCD	CBT48EAMCD	CBT52EAMCD	●	●			●	●	680	NW1408
N0622	266	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●	●		●	●		266	N0622
N0922	345		✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●	●		●	●		345	N0922
MFN46	270	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●			●	●		270	MFN46
MFN56/MFN57	470	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●	●		●	●		470	MFN56/MFN57
MFN86	1900										●			●	1900	MFN86
MFN88	1900										●			●	1900	MFN88
MF26	120	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD						●			120	MF26
MF36	200	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD					●			200	MF36
MF37	200	✓	✓	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD					●			200	MF37
MF46	330	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●			●	●		330	MF46
MF47	320	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●			●	●		300	MF47
MF56	600	CBT22EFCD		CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●	●		●	●		600	MF56
MF57	440			CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●	●		●	●		450	MF57
MF58	600			CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●	●		●	●		600	MF58
MF59	700			CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD	CBT52FMCD	●	●		●	●		700	MF59
MF66	1150								●	●				●	1150	MF66
MF68	1220						CBT48FMCD	CBT52FMCD	●	●				●	1220	MF68
MF69	1400						CBT48FMCD	CBT52FMCD	●	●				●	1400	MF69
MF86/88	2500										●			●	2500	MF86/88
MAR56	426								●	●		●	●	●	426	MAR56
MAR76/78	570								●	●		●	●	●	570	MAR76/78
MAR79	540								●	●		●	●	●	540	MAR79
MAR106/108	785								●	●		●	●	●	785	MAR106/108
MAR109	720								●	●		●	●	●	720	MAR109
MAR126/128/129	1000								●	●		●	●	●	1000	MAR126/128/129
MAR206/208	1850									●		●		●	1850	MAR206/208
MAR306/308	2450									●		●		●	2450	MAR306/308

OTHER PRODUCTS

HID 312

Ice & water dispenser
Ice type:
 Cubelet
Condensing system:
 Air cooled
Max daily production:
 110 kg



Storage bin capacity:
 5 kg
Dimensions:
 W 415 mm
 D 619 mm
 H 886 mm / 988 with legs

HID 525

Ice & water dispenser
Ice type:
 Cubelet
Condensing system:
 Air cooled
Max daily production:
 209 kg



Storage bin capacity:
 11 kg
Dimensions:
 W 542 mm
 D 619 mm
 H 886 mm / 988 with legs

HID 540

Ice & water dispenser
Ice type:
 Cubelet
Condensing system:
 Air cooled
Max daily production:
 209 kg



Storage bin capacity:
 18 kg
Dimensions:
 W 542 mm
 D 619 mm
 H 1038 mm / 1140 with legs

HD 22

Ice dispenser
Storage Capacity:
 59 kg
 Dispensing unit to be combined
 with an ice maker



Dimensions:
 W 559 mm
 D 850 mm
 H 1351 mm

HD 30

Ice dispenser
Storage Capacity:
 81 kg
 Dispensing unit to be combined
 with an ice maker



Dimensions:
 W 762 mm
 D 850 mm
 H 1351 mm

SCW 14 B - EVO

Pressure water cooler
Max cooled litres/hour:
 50 litres



Dimensions:
 W 404 mm
 D 332 mm
 H 1034 mm

SCW 14 FP - EVO

Pressure water cooler
Max cooled litres/hour:
 50 litres



Dimensions:
 W 404 mm
 D 332 mm
 H 1034 mm

SW 12 USPH

Pressure water cooler
Max cooled litres/hour:
 50 litres



Dimensions:
 W 400 mm
 D 330 mm
 H 865 mm

SW 12 S

Pressure water cooler
Max cooled litres/hour:
 50 litres



Dimensions:
 W 432 mm
 D 360 mm
 H 505 mm

CRUSHMAN 360

Crushes all ice cubes
 6 kg per minute



Dimensions:
 W 245 mm
 D 430 mm
 H 490 mm


RBC Stand and Carts

RBC 200: 100 kg
 RBC 300: 150 kg
 RBC 500: 250 kg



EH Series ECLIPSE

Outdoor pre-charged
 refrigeration system specific for
 Prodigy Plus units. Designed to
 eliminate heat and noise from
 service area of the restaurant.



Global supplier for global markets

SCOTSMAN INTERNATIONAL - HQ

Europe, Africa, Middle East, Asia & Pacific
Scotsman Ice
Via Lainate 31
20005 Pogliano Milanese
Milan - Italy
Ph: +39-02-93960 208
Fax: +39-02-93960 201
sales@scotsman.it
www.scotsman-ice.it

CHINA MAINLAND

Scotsman Ice Systems (Shanghai) Co., Ltd.
Room 2505, Building 2
20 Xuhong Middle Road,
Xuhui District
Shanghai China 200235
Ph: +86-21-6131 3200
Fax: +86-21-6131 3330
sales@scotsman-china.com
www.scotsman-china.com

MIDDLE EAST & NORTH AFRICA

Scotsman Ice
Regional Branch (MENA)
PO Box: 42026, Sharjah, UAE
Hamriyah Free-Zone Phase # 2,
Logistic Village Warehouse # LV-10/A
Ph: +9716-5262-944/945
Mob. Ph. +971-505-505-980
m.dawood@scotsman.ae

SCOTSMAN USA - HQ

USA, Canada, Latin America
Scotsman Ice Systems
101 Corporate Woods Parkway
Vernon Hills, IL 60061
Ph: +1-847-215 4500
Fax: +1-847-913 9844
sales@scotsman-ice.com
www.scotsman-ice.com

ASIA & PACIFIC

Scotsman Industries Singapore Pte Ltd
140 Paya Lebar Road
#08-09 AZ @ Paya Lebar
Singapore 409015
Ph: +65-6738 5393
Fax: +65-6738 1959
scotsman@scotsman.com.sg

SOUTH & CENTRAL AFRICA

Scotsman Ice Systems SA (Pty) Ltd
PO Box: 30072, Jetpark, 1467
Unit 4 Lakeview Business Park
8-10 Yaldwyn Road,
Jetpark, Boksburg, RSA
Ph: +27-11-826-6742/1,
+27-087-720 0245/6/7/8
Fax: +27-11-826-4123,
+27-086-634 0803
stuart@scotsmansa.co.za
jennifer@scotsmansa.co.za

SPAIN

Scotsman España, S.L.U.
c/ Galapagar, 12
Poligono Industrial Ventorro del Cano
28925 Alcorcon (Madrid)
Ph: +34-91-1109796
Fax: +34-91-6337423
scotsman@scotsman-espana.es
www.scotsman-espana.es



SCOTSMAN-ICE.IT



scotsman_ice



Scotsman Ice



Scotsman Ice Global



Scotsman Ice System